


推力轴承


单向推力球轴承 d 10~50mm-51105-


www.yh-shop.com











参数信息:

外形尺寸:

| d: | 25 |
|--------|-----|
| D: | 42 |
| Т: | 11 |
| T: | - |
| Т: | - |
| r(最小): | 0.6 |
| | |

额定载荷(N):

| Ca: | 19700 |
|------|-------|
| Coa: | 37000 |

额定载荷{kgf}:

| Ca: | 2010 |
|------|------|
| Coa: | 3800 |

极限转速(rpm):

| 脂润滑: | 4800 |
|------|------|
| 油润滑: | 7100 |

轴承代号:

| 平底座圈型: | 51105 |
|--------|-------|
| 调心球面: | - |
| 球面座圈型: | - |


尺寸(mm):


| d: | 42 |
|----|----|
| D: | 26 |
| D: | - |
| D: | - |
| b: | - |
| A: | - |
| R: | - |

安装尺寸(mm):

◎ 性 单向推力球轴承 d 10 ~ 50mm 【51105|-|】--PDF 福建耀辉机械设备有限公司

www.yh-shop.com





d(最小): 35 Da(最大): 32 r(最大): 0.6

TEL:0591-83889797

重量(kg)(参考):

平底座圈型: 0.056 调心球面型: -

球面座圈型: -